



Introduction

KINGNATE brand was established in 2019.

Through the unremitting team efforts and innovation, KINGNATE has developed 500+ tire sizes covering HP, UHP, SUV, AT, VAN, WINTER, ALL SEASON, ect.

KINGNATE provides safe and valuable services and products to global customers, while continuously creating the best solution for every application.

KINGNATE has successfully obtained CCC, DOT, E-mark, EU Regulation 117, LATU, GCC, SASO and other product certifications.

With high quality, competitive pricing and excellent service, we would like to be one of your best tyre suppliers and long term business partner.

NEW CHALLENGES, NEW OPPORTUNITIES.



VOUNO comf

SIZE	LOAD/SPEED	S.W	OD	RIM	KG	LBS	KPA	PSI	M+S	UTQG
155/65R13	73T	157	532	4.50B	365	805	300	44	M+S	420 A A
165/65R13	77T	170	544	5.00B	412	908	300	44	M+S	420 A A
155/70R13	75T	157	548	4.50B	387	853	300	44	M+S	420 A A
165/70R13	79T	170	562	5.00B	437	963	300	44	M+S	420 A A
175/60R13	77T	177	540	5.00B	412	908	300	44	M+S	420 A A
175/70R13	82T	177	576	5.00B	475	1047	300	44	M+S	420 A A
185/70R13	86T	189	590	5.50B	530	1168	300	44	M+S	420 A A
155/80R13	79T	157	578	4.50B	437	963	300	44	M+S	420 A A
165/60R14	75T	170	554	5J	387	853	300	44	M+S	420 A A
175/60R14	79H	177	566	5J	437	963	300	44	M+S	420 A A
185/60R14	82H	189	578	5.5J	475	1047	300	44	M+S	420 A A
195/60R14	86H	201	590	6J	530	1168	300	44	M+S	420 A A
155/65R14	75T	157	558	4 1/2J	387	853	300	44	M+S	420 A A
165/65R14	79T	170	570	5J	437	963	300	44	M+S	420 A A
175/65R14	86T XL	177	584	5J	530	1168	340	50	M+S	420 A A
185/65R14	86H	189	596	5.5J	530	1168	300	44	M+S	420 A A

SIZE	LOAD/SPEED	S.W	OD	RIM	KG	LBS	KPA	PSI	M+S	UTQG
165/70R14	81T	170	588	5J	462	1019	300	44	M+S	420 A A
175/70R14	84T	177	602	5J	500	1102	300	44	M+S	420 A A
185/70R14	88T	189	616	5 1/2J	565	1246	300	44	M+S	420 A A
195/70R14	91T	201	630	6J	615	1356	300	44	M+S	420 A A
205/70R14	95T	209	644	6J	680	1499	300	44	M+S	420 A A
195/75R14	92H	196	648	5 1/2J	630	1389	300	44	M+S	420 A A
195/50R15	82V	201	577	6J	475	1074	300	44	M+S	420 A A
185/55R15	82V	194	585	6J	475	1047	300	44	M+S	420 A A
195/55R15	85V	201	595	6J	515	1135	300	44	M+S	420 A A
175/60R15	81H	177	591	5J	462	1019	300	44	M+S	420 A A
185/60R15	84H	189	603	5.5J	500	1102	300	44	M+S	420 A A
195/60R15	88H	201	615	6J	560	1235	300	44	M+S	420 A A
205/60R15	91H	209	627	6J	615	1356	300	44	M+S	420 A A
165/65R15	81H	170	595	5J	462	1019	300	44	M+S	420 A A
175/65R15	84H	177	609	5J	500	1102	300	44	M+S	420 A A
185/65R15	88H	189	621	5.5J	560	1235	300	44	M+S	420 A A
195/65R15	91H	201	635	6J	615	1356	300	44	M+S	420 A A
205/65R15	94H	209	647	6J	670	1477	300	44	M+S	420 A A
215/65R15	96H	221	661	6.5J	710	1565	300	44	M+S	420 A A
205/70R15	96T	209	669	6J	710	1565	300	44	M+S	420 A A
195/50R16	84V	201	602	6J	500	1102	300	44	M+S	420 A A
175/55R16	80V	182	598	5 1/2J	450	992	300	44	M+S	420 A A
185/55R16	83V	194	610	6J	487	1074	300	44	M+S	420 A A
195/55R16	87V	201	620	6J	545	1201	300	44	M+S	420 A A
205/55R16	91V	214	632	6.5J	615	1356	300	44	M+S	420 A A
215/55R16	93V	226	642	7J	650	1433	300	44	M+S	420 A A
225/55R16	95V	233	654	7J	690	1521	300	44	M+S	420 A A
175/60R16	82H	177	616	5J	475	1047	300	44	M+S	420 A A
195/60R16	89H	201	640	6J	580	1279	300	44	M+S	420 A A
205/60R16	92H	209	652	6J	630	1389	300	44	M+S	420 A A
215/60R16	95H	221	664	6.5J	690	1521	300	44	M+S	420 A A
225/60R16	98H	228	676	6.5J	750	1653	300	44	M+S	420 A A
205/65R16	95H	209	672	6J	690	1521	300	44	M+S	420 A A
215/65R16	98H	221	661	6.5J	750	1653	300	44	M+S	420 A A



VOUNO evo

NO.	SIZE	LOAD/SPEED	S.W	OD	RIM	KG	LBS	KPA	PSI	M+S	UTQG
1	205/45R16	83W	206	590	7J	487	1074	300	44	M+S	480 A A
2	215/45R16	90WXL	213	600	7J	600	1323	340	50	M+S	480 A A
3	205/40R17	84WXL	212	596	7.5J	500	1102	340	50	M+S	480 A A
4	215/40R17	87WXL	218	604	7.5J	545	1201	340	50	M+S	480 A A
5	205/45R17	88WXL	206	616	7J	560	1235	340	50	M+S	480 A A
6	215/45R17	91WXL	213	626	7J	615	1356	340	50	M+S	480 A A
7	225/45R17	94WXL	225	634	7.5J	670	1477	340	50	M+S	480 A A
8	235/45R17	97WXL	236	644	8J	730	1609	340	50	M+S	480 A A
9	245/45R17	99WXL	243	652	8J	775	1709	340	50	M+S	480 A A
10	255/45R17	102WXL	255	662	8.5J	850	1874	340	50	M+S	480 A A
11	205/50R17	93WXL	214	638	6.5J	650	1433	340	50	M+S	480 A A
12	215/50R17	95WXL	226	648	7J	690	1521	340	50	M+S	480 A A
13	225/50R17	98WXL	233	658	7J	750	1653	340	50	M+S	480 A A
14	235/50R17	100WXL	245	668	7.5J	800	1764	340	50	M+S	480 A A
15	205/55R17	95WXL	214	658	6.5J	690	1521	340	50	M+S	480 A A
16	215/55R17	94W	226	668	7J	670	1477	300	44	M+S	480 A A
17	225/55R17	97W	233	680	7J	730	1609	300	44	M+S	480 A A
18	235/55R17	103WXL	245	690	7.5J	875	1929	340	50	M+S	480 A A

NO.	SIZE	LOAD/SPEED	S.W	OD	RIM	KG	LBS	KPA	PSI	M+S	UTQG
19	255/35R18	94WXL	260	635	9J	670	1477	340	50	M+S	480 A A
20	285/35R18	101WXL	290	657	10J	825	1819	340	50	M+S	480 A A
21	225/40R18	92WXL	230	637	8J	630	1389	340	50	M+S	480 A A
22	235/40R18	95WXL	241	645	8.5J	690	1521	340	50	M+S	480 A A
23	245/40R18	97WXL	248	653	8.5J	730	1609	340	50	M+S	480 A A
24	255/40R18	99WXL	260	661	9J	775	1709	340	50	M+S	480 A A
25	215/45R18	93WXL	213	651	7J	650	1433	340	50	M+S	480 A A
26	225/45R18	95WXL	225	659	7.5J	690	1521	340	50	M+S	480 A A
27	235/45R18	98WXL	236	669	8J	750	1653	340	50	M+S	480 A A
28	245/45R18	100WXL	243	677	8J	800	1764	340	50	M+S	480 A A
29	255/45R18	103WXL	255	687	8.5J	875	1929	340	50	M+S	480 A A
30	215/50R18	96WXL	226	673	7J	710	1565	340	50	M+S	480 A A
31	225/50R18	99WXL	233	683	7J	775	1709	340	50	M+S	480 A A
32	235/50R18	101WXL	245	693	7.5J	825	1819	340	50	M+S	480 A A
33	245/50R18	104WXL	253	703	7.5J	900	1984	340	50	M+S	480 A A
34	255/50R18	106WXL	265	713	8J	950	2094	340	50	M+S	480 A A
35	215/55R18	99WXL	226	693	7J	775	1709	340	50	M+S	480 A A
36	225/55R18	102WXL	233	705	7J	850	1874	340	50	M+S	480 A A
37	235/55R18	104WXL	245	715	7.5J	900	1984	340	50	M+S	480 A A
38	255/55R18	109WXL	265	737	8J	1030	2271	340	50	M+S	480 A A
39	265/30R19	93WXL	271	643	9.5J	650	1433	340	50	M+S	480 A A
40	275/30R19	96WXL	278	649	9.5J	710	1565	340	50	M+S	480 A A
41	225/35R19	88WXL	230	641	8J	560	1235	340	50	M+S	480 A A
42	235/35R19	91WXL	241	647	8.5J	615	1356	340	50	M+S	480 A A
43	245/35R19	93WXL	248	655	8.5J	650	1433	340	50	M+S	480 A A
44	255/35R19	96WXL	260	661	9J	710	1565	340	50	M+S	480 A A
45	265/35R19	98WXL	271	669	9.5J	750	1653	340	50	M+S	480 A A
46	275/35R19	100WXL	278	675	9.5J	800	1764	340	50	M+S	480 A A
47	225/40R19	93WXL	230	663	8J	650	1433	340	50	M+S	480 A A
48	235/40R19	96WXL	241	671	8.5J	710	1565	340	50	M+S	480 A A
49	245/40R19	98WXL	248	679	8.5J	750	1653	340	50	M+S	480 A A
50	255/40R19	100WXL	260	687	9J	800	1764	340	50	M+S	480 A A
51	275/40R19	105WXL	278	703	9.5J	925	2039	340	50	M+S	480 A A
52	285/40R19	107WXL	290	711	10J	975	2149	340	50	M+S	480 A A
53	225/45R19	96WXL	225	685	7.5J	710	1565	340	50	M+S	480 A A
54	235/45R19	99WXL	236	695	8J	775	1709	340	50	M+S	480 A A
55	245/45R19	102WXL	243	703	8J	850	1874	340	50	M+S	480 A A
56	255/45R19	104WXL	255	713	8.5J	900	1984	340	50	M+S	480 A A
57	235/50R19	103WXL	245	719	7.5J	875	1929	340	50	M+S	480 A A
58	245/50R19	105WXL	253	729	7.5J	925	2039	340	50	M+S	480 A A
59	255/50R19	107WXL	265	739	8J	975	2149	340	50	M+S	480 A A
60	265/50R19	110WXL	277	749	8.5J	1060	2337	340	50	M+S	480 A A
61	225/55R19	99W	233	731	7J	775	1709	300	44	M+S	480 A A
62	235/55R19	105WXL	245	741	7.5J	925	2039	340	50	M+S	480 A A
63	245/55R19	103W	253	753	7.5J	875	1929	300	44	M+S	480 A A

NO.	SIZE	LOAD/SPEED	S.W	OD	RIM	KG	LBS	KPA	PSI	M+S	UTQG
64	255/55R19	111WXL	265	763	8J	1090	2403	340	50	M+S	480 A A
65	255/60R19	/								M+S	
66	245/30R20	/								M+S	
67	275/30R20	97WXL	278	674	9.5J	730	1609	340	50	M+S	480 A A
68	295/30R20	/								M+S	
69	225/35R20	90WXL	230	666	8J	600	1323	340	50	M+S	480 A A
70	235/35R20	/								M+S	
71	245/35R20	95WXL	248	680	8.5J	690	1521	340	50	M+S	480 A A
72	255/35R20	97WXL	260	686	9J	730	1609	340	50	M+S	480 A A
73	265/35R20	99WXL	271	694	9.5J	775	1709	340	50	M+S	480 A A
74	275/35R20	102WXL	278	700	9.5J	850	1874	340	50	M+S	480 A A
75	285/35R20	104WXL	290	708	10J	900	1984	340	50	M+S	480 A A
76	295/35R20	105WXL	301	714	10.5J	925	2039	340	50	M+S	480 A A
77	315/35R20	110WXL	320	728	11J	1060	2337	340	50	M+S	480 A A
78	325/35R20	/								M+S	
79	245/40R20	99WXL	248	704	8.5J	775	1709	340	50	M+S	480 A A
80	255/40R20	101WXL	260	712	9J	825	1819	340	50	M+S	480 A A
81	265/40R20	104WXL	271	720	9.5J	900	1984	340	50	M+S	480 A A
82	275/40R20	106WXL	278	728	9.5J	950	2094	340	50	M+S	480 A A
83	285/40R20	108WXL	290	736	10J	1000	2205	340	50	M+S	480 A A
84	295/40R20	110WXL	301	744	10.5J	1060	2337	340	50	M+S	480 A A
85	305/40R20	112WXL	313	752	11J	1120	2469	340	50	M+S	480 A A
86	215/45R20	/								M+S	
87	235/45R20	100WXL	236	720	8J	800	1764	340	50	M+S	480 A A
88	245/45R20	103WXL	243	728	8J	875	1929	340	50	M+S	480 A A
89	255/45R20	105WXL	255	738	8.5J	925	2039	340	50	M+S	480 A A
90	265/45R20	108WXL	266	746	9J	925	2039	340	50	M+S	480 A A
91	275/45R20	110WXL	273	756	9J	1060	2337	340	50	M+S	480 A A
92	285/45R20	112WXL	285	764	9.5J	1120	2469	340	50	M+S	480 A A
93	295/45R20	/								M+S	
94	235/50R20	104WXL	245	744	7.5J	900	1984	340	50	M+S	480 A A
95	245/50R20	105WXL	253	754	7.5J	925	2039	340	50	M+S	480 A A
96	255/50R20	109WXL	265	764	8J	1030	2271	340	50	M+S	480 A A
97	265/50R20	111WXL	277	774	8.5J	1090	2403	340	50	M+S	480 A A
98	275/50R20	113WXL	284	784	8.5J	1150	2535	340	50	M+S	480 A A
99	285/50R20	116WXL	297	794	9J	1250	2756	340	50	M+S	480 A A
100	235/55R20	105WXL	245	766	7.5J	925	2039	340	50	M+S	480 A A
101	255/55R20	110WXL	265	788	8J	1060	2337	340	50	M+S	480 A A
102	275/55R20	117WXL	284	810	8.5J	1285	2835	340	50	M+S	480 A A
103	275/60R20	/								M+S	
104	255/30R21	/								M+S	
105	275/30R21	98WXL	278	699	9.5J	750	1653	340	50	M+S	480 A A
106	285/30R21	100WXL	290	705	10J	800	1764	340	50	M+S	480 A A
107	295/30R21	/								M+S	
108	305/30R21	104WXL	313	717	11J	900	1984	340	50	M+S	480 A A

NO.	SIZE	LOAD/SPEED	S.W	OD	RIM	KG	LBS	KPA	PSI	M+S	UTQG
109	315/30R21	105WXL	320	723	11J	925	2039	340	50	M+S	480 A A
110	325/30R21	108WXL	331	729	11.5J	1000	2205	340	50	M+S	480 A A
111	245/35R21	96WXL	248	705	8.5J	710	1565	340	50	M+S	480 A A
112	255/35R21	98WXL	260	711	9J	750	1653	340	50	M+S	480 A A
113	265/35R21	101WXL	271	719	9.5J	825	1819	340	50	M+S	480 A A
114	275/35R21	103WXL	278	725	9.5J	875	1929	340	50	M+S	480 A A
115	285/35R21	105WXL	290	733	10J	925	2039	340	50	M+S	480 A A
116	295/35R21	107WXL	301	739	10.5J	975	2149	340	50	M+S	480 A A
117	315/35R21	111WXL	320	753	11J	1090	2403	340	50	M+S	480 A A
118	245/40R21	/								M+S	
119	255/40R21	102WXL	260	737	9J	850	1874	340	50	M+S	480 A A
120	265/40R21	105WXL	271	745	9.5J	925	2039	340	50	M+S	480 A A
121	275/40R21	107WXL	278	753	9.5J	975	2149	340	50	M+S	480 A A
122	285/40R21	109WXL	290	761	10J	1030	2271	340	50	M+S	480 A A
123	295/40R21	111WXL	301	769	10.5J	1090	2403	340	50	M+S	480 A A
124	315/40R21	/								M+S	
125	235/45R21	101WXL	236	745	8J	825	1819	340	50	M+S	480 A A
126	245/45R21	104WXL	243	753	8J	900	1984	340	50	M+S	480 A A
127	255/45R21	105WXL	255	763	8.5J	925	2039	340	50	M+S	480 A A
128	265/45R21	108WXL	266	771	9J	1000	2205	340	50	M+S	480 A A
129	275/45R21	110WXL	273	781	9J	1060	2337	340	50	M+S	480 A A
130	285/45R21	113WXL	285	789	9.5J	1150	2535	340	50	M+S	480 A A
131	255/50R21	109WXL	265	789	8J	1030	2271	340	50	M+S	480 A A
132	275/50R21	113WXL	284	809	8.5J	1150	2535	340	50	M+S	480 A A
133	295/30R22	/								M+S	
134	315/30R22	/								M+S	
135	265/35R22	/								M+S	
136	275/35R22	/								M+S	
137	285/35R22	106WXL	290	759	10J	950	2094	340	50	M+S	480 A A
138	295/35R22	/								M+S	
139	315/35R22	111WXL	320	779	11J	1090	2403	340	50	M+S	480 A A
140	265/40R22	106WXL	271	771	9.5J	950	2094	340	50	M+S	480 A A
141	275/40R22	107WXL	278	779	9.5J	975	2149	340	50	M+S	480 A A
142	285/40R22	110WXL	290	787	10J	1060	2337	340	50	M+S	480 A A
143	295/40R22	112WXL	301	795	10.5J	1120	2469	340	50	M+S	480 A A
144	305/40R22	114WXL	313	803	11J	1180	2601	340	50	M+S	480 A A
145	325/40R22	118WXL	331	819	11.5J	1320	2910	340	50	M+S	480 A A
146	255/45R22	107WXL	255	789	8.5J	975	2149	340	50	M+S	480 A A
147	275/45R22	112WXL	273	807	9J	1120	2469	340	50	M+S	480 A A
148	285/45R22	114WXL	285	815	9.5J	1180	2601	340	50	M+S	480 A A
149	275/50R22	111W	284	835	8.5J	1090	2403	300	44	M+S	480 A A



VOUNO power

SIZE	LOAD/SPEED	S.W	OD	RIM	KG	LBS	KPA	PSI	M+S	UTQG
235/60R16	100H	240	688	7J	800	1764	300	44	M+S	480AA
215/70R16	100H	221	708	6½J	800	1764	300	44	M+S	480AA
225/70R16	103H	228	722	6½J	875	1929	300	44	M+S	480AA
235/70R16	106H	240	736	7J	950	2094	300	44	M+S	480AA
245/70R16	107H	248	750	7J	975	2149	300	44	M+S	480AA
265/70R16	112H	272	778	8J	1120	2469	300	44	M+S	480AA
215/60R17	96H	221	690	6½J	710	1565	300	44	M+S	480AA
225/60R17	99H	228	702	6½J	775	1709	300	44	M+S	480AA
235/60R17	102H	240	714	7J	850	1874	300	44	M+S	480AA
215/65R17	99H	221	712	6½J	775	1709	300	44	M+S	480AA
225/65R17	102H	228	724	6½J	850	1874	300	44	M+S	480AA
235/65R17	104H	240	738	7J	900	1984	300	44	M+S	480AA
245/65R17	107H	248	750	7J	975	2149	300	44	M+S	480AA
235/55R18	100V	245	715	7½J	800	1764	300	44	M+S	480AA
225/60R18	100H	228	727	6½J	800	1764	300	44	M+S	480AA
235/60R18	103H	240	739	7J	975	2149	300	44	M+S	480AA
245/60R18	105H	248	751	7J	875	1929	300	44	M+S	480AA
265/60R18	110H	272	775	8J	1060	2337	300	44	M+S	480AA
235/65R18	106H	240	763	7J	950	2094	300	44	M+S	480AA
235/60R19	103H	240	765	7J	875	1929	300	44	M+S	480AA
235/65R19	109 XLH	240	789	7J	1030	2271	340	50	M+S	480AA



ACLUS TRO

ACLUS TRO

SIZE	PR	LL&SR	PS	S.W	O.D	RIM	KG	LBS	KPA	PSI	M+S
165R13C	6PR	91/89Q	BSW	167	596	4.5J	615/580	1355/1280	375	55	M+S
175R13C	8PR	97/95Q	BSW	178	608	5J	730/690	1610/1520	450	65	M+S
165R14C	6PR	93/91Q	BSW	167	622	4.5J	650/615	1435/1355	375	55	M+S
175R14C	6PR	96/94Q	BSW	178	634	5J	710/670	1565/1475	375	55	M+S
175/70R14C	6PR	95/93Q	BSW	177	602	5J	690/650	1520/1435	375	55	M+S
185R14C	8PR	102/100Q	BSW	188	650	5.5J	850/800	1875/1765	450	65	M+S
195R14C	8PR	106/104Q	BSW	198	666	5.5J	950/900	2095/1985	450	65	M+S
205R14C	8PR	109/107Q	BSW	208	686	6J	1030/975	2270/2150	450	65	M+S
195/70R15C	8PR	104/102Q	BSW	201	655	6J	900/850	1985/1875	450	65	M+S
205/70R15C	8PR	106/104Q	BSW	209	669	6J	950/900	2095/1985	450	65	M+S
215/70R15C	8PR	109/107Q	BSW	221	683	6.5J	1030/975	2270/2150	450	65	M+S
185R15C	8PR	103/102Q	BSW	188	674	5.5J	875/850	1930/1875	450	65	M+S
195R15C	8PR	106/104R	BSW	198	690	5.5J	950/900	2095/1985	450	65	M+S
225/65R16C	8PR	112/110R	BSW	228	698	6.5J	1120/1060	2470/2335	475	69	M+S
235/65R16C	8PR	115/113R	BSW	240	712	7J	1215/1150	2680/2535	475	69	M+S
215/70R16C	6PR	108/106R	BSW	221	708	6.5J	1000/950	2205/2095	375	55	M+S
205/75R16C	8PR	110/108R	BSW	203	714	5.5J	1060/1000	2335/2205	475	69	M+S
215/75R16C	8PR	113/111R	BSW	216	728	6J	1150/1090	2535/2405	475	69	M+S

ACLUS TRO+

SIZE	PR	LL&SR	PS	S.W	O.D	RIM	KG	LBS	KPA	PSI	M+S
185/75R16C	8PR	104/102R	BSW	184	684	5J	900/850	1985/1875	475	69	M+S
195/75R16C	8PR	107/105R	BSW	196	698	5.5J	975/925	2150/2040	475	69	M+S



ACLU5 AT5

SIZE	PR	LL&SR	PS	S.W	O.D	RIM	KG	LBS	KPA	PSI	M+S	UTQG
LT215/75R15	6PR	100/97Q	BSW	216	703	6J	800/730	1765/1610	350	51	M+S	
LT235/75R15	6PR	104/101Q	BSW	235	733	6 1/2J	900/825	1985/1820	350	51	M+S	
31*10.50R15LT	6PR	109Q	RWL	268	775	8 1/2J	1030	2270	350	51	M+S	
LT215/70R16	6PR	100/97Q	BSW	221	708	6 1/2J	800/730	1765/1610	350	51	M+S	
LT225/70R16	6PR	102/99Q	BSW	228	722	6 1/2J	850/775	1875/1710	350	51	M+S	
LT235/70R16	8PR	110/107Q	BSW	240	736	7J	1060/975	2335/2150	450	65	M+S	
LT245/70R16	10PR	118/115Q	BSW	248	750	7J	1320/1215	2910/2680	550	80	M+S	
LT255/70R16	10PR	120/117Q	BSW	260	764	7 1/2J	1400/1285	3085/2835	550	80	M+S	
LT265/70R16	10PR	121/118Q	RWL	272	778	8J	1450/1320	3195/2910	550	80	M+S	
LT275/70R16	8PR	119/116Q	RWL	279	792	8J	1360/1250	3000/2755	450	65	M+S	
LT245/75R16	10PR	120/116Q	BSW	248	774	7J	1400/1250	3085/2755	550	80	M+S	
LT265/75R16	10PR	123/120Q	RWL	267	804	7 1/2J	1550/1400	3415/3085	550	80	M+S	
LT285/75R16	10PR	126/123Q	RWL	286	834	8J	1700/1550	3750/3415	550	80	M+S	
LT225/65R17	8PR	107/103Q	RWL	228	724	6 1/2J	975/875	2150/1930	450	65	M+S	
LT235/65R17	8PR	109/105Q	RWL	240	738	7J	1030/925	2270/2040	450	65	M+S	
LT245/65R17	8PR	111/108Q	RWL	248	750	7J	1090/1000	2405/2205	450	65	M+S	
LT265/65R17	10PR	120/117Q	RWL	272	776	8J	1400/1285	3085/2835	550	80	M+S	
LT275/65R17	10PR	121/118Q	RWL	279	790	8J	1450/1320	3195/2910	550	80	M+S	
LT285/65R17	10PR	121/118Q	RWL	292	802	8 1/2J	1450/1320	3195/2910	550	80	M+S	
LT245/70R17	10PR	119/116Q	RWL	248	776	7J	1360/1250	3000/2755	550	80	M+S	
LT265/70R17	10PR	121/118Q	RWL	272	804	8J	1450/1320	3195/2910	550	80	M+S	
LT275/70R17	10PR	121/118Q	RWL	279	818	8J	1450/1320	3195/2910	550	80	M+S	
LT285/70R17	10PR	126/123Q	RWL	292	832	8 1/2J	1700/1550	3750/3415	550	80	M+S	
LT315/70R17	10PR	126/123Q	RWL	323	874	9 1/2J	1700/1550	3750/3415	450	65	M+S	

SIZE	PR	LL&SR	PS	S.W	O.D	RIM	KG	LBS	KPA	PSI	M+S	UTQG
35*12.50R17LT	10PR	121Q	RWL	318	877	10J	1450	3195	450	65	M+S	
37*12.50R17LT	8PR	124Q	RWL	318	928	10J	1600	3525	350	50	M+S	
LT235/60R18	8PR	108/104S	RWL	240	739	7J	1000/900	2205/1985	450	65	M+S	
LT255/60R18	10PR	117/114S	RWL	260	763	7.5J	1285/1180	2835/2600	550	80	M+S	
LT265/60R18	10PR	119/116S	RWL	272	775	8J	1360/1250	3000/2755	550	80	M+S	
LT285/60R18	10PR	122/119S	RWL	292	799	8 1/2J	1500/1360	3305/3000	550	80	M+S	
LT235/65R18	8PR	113/110S	RWL	240	763	7J	1150/1060	2535/2335	450	65	M+S	
LT265/65R18	10PR	122/119S	RWL	272	801	8J	1500/1360	3305/3000	550	80	M+S	
LT275/65R18	10PR	123/120S	RWL	279	815	8J	1550/1400	3415/3085	550	80	M+S	
LT285/65R18	10PR	125/122S	RWL	292	827	8 1/2J	1650/1500	3640/3305	550	80	M+S	
LT265/70R18	10PR	124/121Q	RWL	272	829	8J	1600/1450	3525/3195	550	80	M+S	
LT275/70R18	10PR	125/122Q	RWL	279	843	8J	1650/1500	3640/3305	550	80	M+S	
LT285/70R18	10PR	127/124Q	RWL	292	857	8 1/2J	1750/1600	3860/3525	550	80	M+S	
LT245/55R19	10PR	113/110S	BSW	253	753	7.5J	1150/1060	2535/2335	550	80	M+S	
LT255/55R19	10PR	115/112S	BSW	265	763	8J	1215/1120	2680/2470	550	80	M+S	
LT265/55R19	10PR	116/113S	BSW	277	775	8.5J	1250/1150	2755/2535	550	80	M+S	
LT235/60R19	8PR	109/106S	RWL	240	765	7J	1030/950	2270/2094	450	65	M+S	
LT255/60R19	8PR	116/113S	RWL	260	789	7.5J	1250/1150	2755/2535	450	65	M+S	
LT265/50R20	10PR	115/112S	BSW	277	774	8.5J	1215/1120	2680/2470	550	80	M+S	
LT275/55R20	10PR	120/117S	BSW	284	810	8.5J	1400/1285	3085/2835	550	80	M+S	
LT275/60R20	10PR	123/120S	RWL	279	838	8J	1550/1400	3415/3085	550	80	M+S	
LT265/45R21	8PR	111/108S	BSW	266	771	9.0J	1090/1000	2405/2205	450	65	M+S	
LT275/50R21	8PR	116/113S	BSW	284	809	8.5J	1250/1150	2755/2535	450	65	M+S	
215/75R15		100T	BSW	216	703	6J	800	1765	350	51	M+S	520AB
235/75R15		105T	BSW	235	733	6 1/2J	925	2039	350	51	M+S	520AB
215/70R16		100T	BSW	221	708	6 1/2J	800/730	1765/1610	350	51	M+S	520AB
225/70R16		103T	BSW	228	722	6 1/2J	875	1929	350	51	M+S	520AB
235/70R16		106T	BSW	240	736	7J	950	2094	350	51	M+S	520AB
245/70R16		107T	BSW	248	750	7J	975	2149	350	51	M+S	520AB
255/70R16		111T	BSW	260	764	7 1/2J	1090	2403	350	51	M+S	520AB
265/70R16		112T	RWL	272	778	8J	1120	2469	350	51	M+S	520AB
275/70R16		114T	RWL	279	792	8J	1180	2601	350	51	M+S	520AB
215/60R17		100 XLH	BSW	221	690	6 1/2J	800	1764	340	50	M+S	520AB
225/60R17		103 XLH	BSW	228	702	6 1/2J	875	1929	340	50	M+S	520AB
225/65R17		102T	BSW	228	724	6 1/2J	850	1875	350	51	M+S	520AB
235/65R17		104T	BSW	240	738	7J	900	1984	350	51	M+S	520AB
245/65R17		107T	BSW	248	750	7J	975	2149	350	51	M+S	520AB
265/65R17		112T	RWL	272	776	8J	1120	2469	350	51	M+S	520AB
245/70R17		110T	RWL	248	776	7J	1060	2337	350	51	M+S	520AB
265/70R17		115T	RWL	272	804	8J	1215	2679	350	51	M+S	520AB
225/55R18		102 XLH	BSW	233	705	7J	850	1874	340	50	M+S	520AB
235/55R18		104 XLH	BSW	245	715	7 1/2J	900	1984	340	50	M+S	520AB
225/60R18		104 XLH	BSW	228	727	6 1/2J	900	1984	340	50	M+S	520AB
265/60R18		110T	BSW	272	775	8J	1060	2337	350	51	M+S	520AB
285/60R18		116T	RWL	292	799	8 1/2J	1250	2756	350	51	M+S	520AB
275/65R18		116T	RWL	279	815	8J	1250	2756	350	51	M+S	520AB
235/55R19		105 XLH	BSW	245	741	7 1/2J	925	2039	340	50	M+S	520AB
265/50R20		107T	BSW	277	774	8.5J	975	2149	350	51	M+S	520AB
275/55R20		113T	BSW	284	810	8.5J	1150	2535	350	51	M+S	520AB
275/60R20		115T	BSW	279	838	8J	1215	2679	350	51	M+S	520AB



VINTRUM

SIZE	LOAD/SPEED	S.W	OD	RIM	KG	LBS	KPA	PSI	M+S	RIM PROTECTOR
155/70R13	75T	548	157	4.50B	387	853	300	44	M+S	
175/70R13	82T	576	177	5.00B	475	1047	300	44	M+S	
185/60R14	82T	578	189	5 1/2J	475	1047	300	44	M+S	
175/65R14	82T	584	177	5J	475	1047	300	44	M+S	
185/65R14	86T	596	189	5 1/2J	530	1168	300	44	M+S	
175/70R14	84T	602	177	5J	500	1102	300	44	M+S	
185/70R14	88T	616	189	5 1/2J	560	1235	300	44	M+S	
195/55R15	85H	595	201	6J	515	1135	300	44	M+S	
185/60R15	84T	603	189	5 1/2J	500	1102	300	44	M+S	
195/60R15	88T	615	201	6J	560	1235	300	44	M+S	
185/65R15	88T	621	189	5 1/2J	560	1235	300	44	M+S	
195/65R15	91T	635	201	6J	615	1356	300	44	M+S	
205/65R15	94H	647	209	6J	670	1477	300	44	M+S	
205/55R16	91H	632	214	6 1/2J	615	1356	300	44	M+S	RP
215/55R16	93H	642	226	7J	650	1433	300	44	M+S	
195/60R16	89H	640	201	6J	580	1279	300	44	M+S	
205/60R16	92H	652	209	6J	630	1389	300	44	M+S	
215/60R16	95H	664	221	6 1/2J	690	1521	300	44	M+S	
225/60R16	98H	676	228	6 1/2J	750	1653	300	44	M+S	
205/65R16	95H	672	209	6J	690	1521	300	44	M+S	

SIZE	LOAD/SPEED	S.W	OD	RIM	KG	LBS	KPA	PSI	M+S	RIM PROTECTOR
215/65R16	98H	686	221	6 1/2J	750	1653	300	44	M+S	
235/70R16	106T	736	240	7J	950	2094	300	44	M+S	
245/70R16	107T	750	248	7J	975	2149	300	44	M+S	
265/70R16	112T	778	272	8J	1120	2469	300	44	M+S	
225/45R17	94H	634	225	7 1/2J	670	1477	340	50	M+S	RP
235/45R17	97H	644	236	8J	730	1609	340	50	M+S	RP
205/50R17	93H	638	214	6 1/2J	650	1433	340	50	M+S	RP
215/50R17	95H	648	226	7J	690	1521	340	50	M+S	RP
225/50R17	98H	658	233	7J	750	1653	340	50	M+S	RP
205/55R17	95H	658	214	6 1/2J	690	1521	340	50	M+S	RP
215/55R17	98H	668	226	7J	750	1653	340	50	M+S	RP
225/55R17	101H	680	233	7J	825	1819	340	50	M+S	RP
235/55R17	103H	690	245	7 1/2J	875	1929	340	50	M+S	RP
215/60R17	96T	690	221	6 1/2J	710	1565	300	44	M+S	
225/60R17	99T	702	228	6 1/2J	775	1709	300	44	M+S	
225/65R17	102T	724	228	6 1/2J	850	1874	300	44	M+S	
235/65R17	104T	738	240	7J	900	1984	300	44	M+S	
265/65R17	112T	776	272	8J	1120	2469	300	44	M+S	
225/40R18	92H	637	230	8J	630	1389	340	50	M+S	RP
235/40R18	95H	645	241	8 1/2J	690	1521	340	50	M+S	RP
245/40R18	97H	653	248	8 1/2J	730	1609	340	50	M+S	RP
225/45R18	95H	659	225	7 1/2J	690	1521	340	50	M+S	RP
235/45R18	98H	669	236	8J	750	1653	340	50	M+S	RP
245/45R18	100H	677	243	8J	800	1764	340	50	M+S	RP
225/50R18	99H	683	233	7J	775	1709	340	50	M+S	RP
235/50R18	101H	693	245	7 1/2J	825	1819	340	50	M+S	RP
215/55R18	99H	693	226	7J	775	1709	340	50	M+S	RP
225/55R18	102H	705	233	7J	850	1874	340	50	M+S	RP
235/55R18	104H	715	245	7 1/2J	900	1984	340	50	M+S	RP
225/60R18	100T	727	228	6 1/2J	800	1764	300	44	M+S	
235/60R18	103T	739	240	7J	875	1929	300	44	M+S	
265/60R18	110T	775	272	8J	1060	2337	300	44	M+S	
235/65R18	106T	763	240	7J	950	2094	300	44	M+S	
245/40R19	98H	679	248	8 1/2J	750	1653	340	50	M+S	RP
225/45R19	96H	685	225	7 1/2J	710	1565	340	50	M+S	RP
245/45R19	102H	703	243	8J	850	1874	340	50	M+S	RP
235/50R19	103H	719	245	7 1/2J	875	1929	340	50	M+S	RP
225/55R19	99H	731	233	7J	775	1709	300	44	M+S	RP
235/55R19	105H	741	245	7 1/2J	925	2039	340	50	M+S	RP
235/60R19	103H	765	240	7J	875	1929	300	44	M+S	RP
245/40R20	99H	704	248	8 1/2J	775	1709	340	50	M+S	RP
265/40R20	104H	720	271	9 1/2J	900	1984	340	50	M+S	RP
255/50R20	109H	764	265	8J	1030	2271	340	50	M+S	RP
265/45R21	108H	771	266	9J	1000	2205	340	50	M+S	RP
285/45R21	113H	789	285	9 1/2J	1150	2535	340	50	M+S	RP

WINTER TYRE

ALASKA S05



ALASKA S03



ALASKA S05 WINTER UHP & SUV

SIZE	LOAD/SPEED	OD	MAX AIR	GD			dB	
205/55R16	91T	632	300	8.2	C	D	72	B
205/50R17	93H XL	638	340	8.2	C	D	72	B
205/55R17	95T XL	658	340	8.2	C	D	72	B
225/65R17	106T XL	724	340	8.6	C	D	72	B
245/70R17	110T	776	300	8.6	C	D	72	B
265/65R17	112T	776	300	8.6	C	D	72	B
225/50R18	99H XL	683	340	8.6	C	D	72	B
225/60R18	104H XL	727	340	8.6	C	D	72	B
235/45R18	98H XL	669	340	8.6	C	D	72	B
245/40R18	97H XL	653	340	8.6	C	D	72	B
245/50R18	104H XL	703	340	8.6	C	D	72	B
225/55R19	99H	731	300	8.6	C	D	72	B
235/50R19	99T	719	300	8.6	C	D	72	B
235/60R19	107T XL	765	340	8.6	C	D	72	B
245/45R19	98T	703	300	8.6	C	D	72	B
255/45R19	100T	713	300	8.6	C	D	72	B
235/45R20	100T XL	720	340	8.6	C	D	72	B
235/50R20	104T XL	744	340	8.6	C	D	72	B
235/55R20	102T	766	300	8.6	C	D	72	B
245/45R20	103T XL	728	340	8.6	C	D	72	B
245/50R20	102T	754	300	8.6	C	D	72	B
255/45R20	105T XL	738	340	8.6	C	D	72	B
255/50R20	109T XL	764	340	8.6	C	D	72	B
255/55R20	110T XL	788	340	8.6	C	D	72	B
255/45R21	105T XL	763	340	8.6	C	D	72	B
265/40R21	105T XL	745	340	8.6	C	D	72	B
265/45R21	104T	771	300	8.6	C	D	72	B

ALASKA S03 WINTER HP / UHP / SUV

SIZE	LOAD/SPEED	OD	MAX AIR	GD			dB	
165/70R13	79T	562	300	9	D	D	71	B
175/65R14	82T	584	300	9	D	D	71	B
175/70R14	88T XL	602	340	9	D	D	71	B
185/60R14	82T	578	300	9	D	D	71	B
185/65R14	86T	596	300	9	D	D	71	B
185/55R15	86H XL	585	340	9	D	D	71	B
185/60R15	88T XL	603	340	9	D	D	71	B
185/65R15	88T	621	300	9	D	D	71	B
195/55R15	85H	595	300	9	D	D	72	B
195/60R15	88H	615	300	9	D	D	72	B
195/65R15	95H XL	635	340	9	C	D	72	B
205/65R15	94H	647	300	9.3	C	D	72	B
195/55R16	91H XL	620	340	9	C	D	72	B
195/60R16	89H	640	300	9	D	D	72	B
205/60R16	96H XL	652	340	9.3	C	D	72	B
205/65R16	95T	672	300	9.3	C	D	72	B
215/55R16	97H XL	642	340	9.3	C	D	72	B
215/60R16	99H XL	664	340	9.3	C	D	72	B
225/55R16	99H XL	654	340	9.3	C	D	72	B
215/50R17	95V XL	648	340	9.3	C	D	72	B
215/55R17	98V XL	668	340	9.3	C	D	72	B
225/45R17	94V XL	634	340	9.3	C	D	72	B
225/50R17	98V XL	658	340	9.3	C	D	72	B
225/55R17	101V XL	680	340	9.3	C	D	72	B
235/45R17	97V XL	644	340	9.3	C	D	72	B
235/50R17	100V XL	668	340	9.3	C	D	72	B
235/55R17	103V XL	690	340	9.3	C	D	72	B
225/45R18	95V XL	659	340	9.3	C	D	72	B
235/45R18	98V XL	669	340	9.3	C	D	72	B
235/50R18	101V XL	693	340	9.3	C	D	72	B
245/45R18	100V XL	677	340	9.3	C	C	72	B
215/65R16	98H	686	300	9.3	C	D	72	B
235/70R16	106T	736	300	9.3	C	D	72	B
215/60R17	100H XL	690	340	9.3	C	D	72	B
215/65R17	99H	712	300	9.3	C	D	72	B
225/60R17	103V XL	702	340	9.3	C	D	72	B
225/65R17	106H XL	724	340	9.3	C	D	72	B
235/65R17	108H XL	738	340	9.3	C	D	72	B
215/55R18	99V XL	693	340	9.3	C	D	72	B
225/55R18	102V XL	705	340	9.3	C	D	72	B
225/60R18	104V XL	727	340	9.3	C	D	72	B
235/55R18	104H XL	715	340	9.3	C	D	72	B
235/60R18	107H XL	739	340	9.3	C	D	72	B
235/65R18	110H XL	763	340	9.3	C	D	72	B
245/60R18	105T	751	300	9.3	C	D	72	B
265/60R18	114H XL	775	340	9.3	C	D	72	B
285/60R18	116T	799	300	9.3	C	D	73	B
235/55R19	105V XL	741	340	9.3	C	D	72	B

ALL SEASON TYRE



TUTTI TRO



TUTTI HP

TUTTI TRO COMMERCIAL

SIZE	LOAD/SPEED	OD	MAX AIR	GD			dB		PR
195/75R16C	107/105R	698	475	8.7	C	C	72	B	10
225/65R16C	112/110T	698	475	8.7	C	C	72	B	10
195/65R16C	104/102T	660	475	8.7	C	C	72	B	10
195/70R15C	104/102R	655	450	8.7	C	C	72	B	10
205/65R16C	107/105T	672	475	8.7	C	C	72	B	10
215/65R16C	109/107T	686	475	8.7	C	C	72	B	10
215/70R15C	109/107R	683	450	8.7	C	C	72	B	10
225/70R15C	112/110R	697	450	8.7	C	C	72	B	10
235/65R16C	115/113T	718	475	8.7	C	C	72	B	10

TUTTI HP HP & UHP

SIZE	LOAD/SPEED	OD	MAX AIR	GD			dB	
165/70R13	79T	562	300	7.6	C	C	70	B
155/65R14	75T	558	300	6.6	C	C	70	B
165/60R14	79H XL	554	340	7.6	C	C	70	B
165/65R14	79T	570	300	7.6	C	C	70	B
175/65R14	82T	584	300	7.9	C	C	70	B
175/65R14	86H XL	584	300	7.9	C	C	70	B
185/55R14	80T	560	300	7.9	C	C	70	B
185/60R14	82H	578	300	7.9	C	C	70	B
185/65R14	86T	596	300	7.9	C	C	70	B
165/65R15	81T	595	300	7.6	C	C	70	B
175/65R15	88H XL	609	340	7.9	C	C	70	B
185/55R15	82H	585	300	7.9	C	C	70	B
185/60R15	88H	603	340	7.9	C	C	70	B
185/65R15	88T	621	340	7.9	C	C	70	B
185/65R15	92T XL	621	340	7.9	C	C	70	B
185/65R15	88H	621	340	7.9	C	C	70	B
195/50R15	82V	577	300	7.9	C	C	71	B
195/55R15	85H	595	300	7.9	C	C	71	B
195/60R15	88H	615	300	7.9	C	C	71	B
195/65R15	95V XL	635	340	7.9	C	C	71	B
185/55R16	87V XL	610	340	7.9	C	C	70	B
195/45R16	84V XL	582	340	7.9	C	C	71	B
195/55R16	91H XL	620	340	7.9	C	C	71	B
205/45R16	87V XL	590	340	7.9	C	C	71	B
205/55R16	94V XL	632	340	7.9	C	C	71	B
205/60R16	96H XL	652	340	7.9	C	C	71	B
215/55R16	97V XL	642	340	7.9	C	C	71	B
215/60R16	99V XL	664	340	7.9	C	C	71	B
215/65R16	102V XL	686	340	7.9	C	C	71	B
205/45ZR17	88Y XL	616	340	7.9	C	C	71	B
205/50ZR17	93W XL	638	340	7.9	C	C	71	B
205/55R17	95V XL	658	340	7.9	C	C	71	B
215/45ZR17	91W XL	626	340	7.9	C	C	71	B
215/50ZR17	95W XL	648	340	7.9	C	C	71	B
215/55ZR17	98W XL	668	340	7.9	C	C	71	B
215/60R17	100V XL	690	340	7.9	C	C	71	B
225/45ZR17	94Y XL	634	340	7.9	C	C	71	B
225/50R17	98V XL	658	340	7.9	C	C	71	B
225/55ZR17	101W XL	680	340	7.9	C	C	71	B
235/55R17	103V XL	690	340	7.9	C	C	71	B
235/65R17	108V XL	738	340	7.9	C	C	71	B
215/55R18	99V XL	693	340	7.9	C	C	71	B
225/40ZR18	92Y XL	637	340	7.9	C	C	71	B
225/55R18	98V	705	300	7.9	C	C	71	B
235/50R18	101V XL	693	340	7.9	C	C	71	B
235/60R18	107V XL	739	340	7.9	C	C	71	B
245/45ZR18	100Y XL	677	340	7.9	C	C	71	B
255/55R19	107V	763	300	7.9	C	C	71	B