WARRIORTYRE®

WARRIORTYRE®

-2026-

WARRIORTYRE CATALOGUE



Website
https://www.doublecoinholdings.com/

E-mail
doublecoinexp@shhuayi.com

Address
No. 560 XUJIAHUI RD, SHANGHAI, CHINA

DEVELOPMENT HISTORY

1921

Shanghai Zhengtai Rubber Factory founded as one of China's earliest national rubber enterprises



1935

Warrior brand officially registered



1947

Produce first Warrior tire



1982

In June, Warrior passenger radial tires completed trial production. Zhengtai Rubber Factory pioneered China radial tire manufacturing



2001

Shanghai Michelin Warrior Tyre Co., Ltd. established



2012

Double Coin Group (Anhui) Warrior Tyre Co., Ltd. established



2016

Double CoinThailandbase entered marke



2017

Shanghai Huayi Holdings Group Co., Ltd.
Double Coin Tyre Group Co., Ltd.
Huayi Group (Hong Kong) Co., Ltd.



2023

Phase II project of Double Coin Group (Anhui) Warrior Tyre Co., Ltd. officially launched



2024

Launched TEco 2.0.
Toward Eco-smart Tech



2025

Rebuild the agricultural tiremanufacturing line



NEW

DOUBLE COIN CONTINUES to lead in truck, bus, industrial,ORT tyres, with a presencein over 100 countries, focusedon innovation and performance



GLOBAL ACCESSIBILITY, SHARED BY THE WORLD

DOUBLE COIN Tire is committed to providing high-quality, standardized products and warm and thoughtful services to global users with dedication.

1 One national level technology center | **5** Five major production bases | **10 million sets** Annual sales exceeding 10 million sets

Domestic market

The dealer network covers the whole country, Over 20000 retail channels

International market

Establishing marketing networks in the United States, Europe, and the Middle East, Our products are sold to over 100 countries and regions around the world

GROUP INTRODUCTION



Company Profile

Double Coin Group (Anhui) Warrior Tire Co., Ltd

Double Coin Group (Anhui) Warrior Tire Co., Ltd. is a joint venture jointly controlled by Shanghai Huayi Holdings Group Co., Ltd.,and Double Coin Tire Group Co., Ltd., It is the founder of China's national tire industry. The production base is located in Erba Industrial Park, Jiujiang Economic Development Zone, Erba Town, Jiujiang District, Wuhu City, Anhui Province, covering an area of nearly a thousand acres. The company's mission is to fully build the Chinese passenger tire brand and its goal is to establish the largest car tire production base in Anhui province. By fully integrating the respective advantages of shareholders in the tire business, the company's scale will reach world-class standards, and its core technological strength, corporate competitiveness, and brand influence will continue to improve. It is a leading enterprise in China's national tire industry.

WARRIORTYRE ®



Full Range Product Catalog

HIGH PERFORMANCE



Wondergy [EV] | Cosilency | Cosilency SUV

HIGH MLEAGE



R700 [EV]

Winter tires



WR300 | WR500 | Frostwarden

HP/UHP Passenger Car Tires



ECO-Max | Comfortune A05

Light truck tires



CR19

SUV tires



SR1 HP | SR1 | AT-PLUS | Cruseross A/T | Cruseross X/T | Cruseross M/T

Tire Sidewall Markings

Understand The Signs And Drive With Peace Of Mind



Number	Content	Meaning
1	Warrior	Brand Name
2	Wondergy EV	Tyre Pattern Name
3	255/50R19	Tyre Size
4	107W	Load Index Speed Symbol
5	M+S	Snow Mud Logo (M+S)
6	TREADWEAR 460 TRACION A TEMPERATURE A	UTQG
7	MADE IN CHINA	Country of manufacture
8	EXTRA LOAD	Enhance or not
9	SS-01-2620	Mold Number
10	TUBELESS	Tyre does not require a tube

WARRIOR TYRE ®

Wondergy EV

Ride on with full speed and enjoy the future in peace

Wondergy [EV]

Quietness Comfort Handling Drainage Eco

Drive Ahead Embrace quietness



Wide Main Groove Design

Four wide longitudinal main grooves ensure rapid water drainage, enhancing water evacuation efficiency and improving wet handling performance.



Chamfered Main and Lateral Grooves

Chamfers are added to the edges of the main and lateral grooves, increasing the tire s contact area during cornering, improving handling performance while ensuring a quiet and safe driving experience.



Steel Belt Groove Design

Enhances wet grip by improving traction on wet surfaces and alters the tread block impact frequency, effectively reducing noise.



Closed Lateral Groove Design

The closed lateral groove design increases lateral rigidity, providing superior traction and braking performance while also reducing tire noise.



Wide Contact Patch Design

The widened contact surface improves grip and enhances handling safety, delivering a more secure driving experience.

CCC ECE UHP SUV

QUIETNESS
DRIVING COMFORT



WARRIORTYRE ®

WARRIORTYRE ®

SIZE	RIM	LOAD CAPACITY	MAX SPEED
205/55R17	17	95	V
215/45ZR17	17	91	W
215/50ZR17	17	95	W
215/55ZR17	17	98	Y
215/60R17	17	100	V
215/65R17	17	99	V
225/45ZR17	17	94	W
225/50ZR17	17	98	W
225/55ZR17	17	101	W
225/60R17	17	99	H
225/65R17	17	102	V
235/45ZR17	17	97	W
235/50ZR17	17	96	W
235/55ZR17	17	99	W
235/65R17	17	108	V
215/50ZR18	18	92	Y
215/55R18	18	99	V
225/40ZR18	18	92	W
225/45ZR18	18	95	W
225/50ZR18	18	95	W
225/55ZR18	18	102	W
225/60R18	18	100	H
235/45ZR18	18	98	Y
235/50R18	18	101	V
235/55R18	18	104	V
235/60R18	18	107	V
235/65R18	18	106	H
245/40ZR18	18	97	W
245/45ZR18	18	100	W
245/50ZR18	18	100	W
245/60R18	18	105	H
255/40ZR18	18	99	Y
255/55R18	18	109	V
255/60R18	18	112	V
265/60R18	18	110	H
225/45ZR19	19	96	W
225/55R19	19	99	V
235/40ZR19	19	96	W

SIZE	RIM	LOAD CAPACITY	MAX SPEED
235/45R19	19	95	V
235/50R19	19	99	V
235/55R19	19	105	V
245/40ZR19	19	98	W
245/45ZR19	19	102	Y
245/50R19	19	105	W
245/55R19	19	103	V
255/40ZR19	19	100	W
255/45ZR19	19	100	W
255/50ZR19	19	107	W
255/55R19	19	107	V
255/60R19	19	109	V
275/35ZR19	19	100	Y
275/40R19	19	101	Y
235/45R20	20	96	V
235/50ZR20	20	104	W
235/55R20	20	102	V
245/40ZR20	20	99	Y
245/45R20	20	103	V
245/50R20	20	102	V
255/40ZR20	20	101	Y
255/45ZR20	20	105	W
255/50ZR20	20	109	W
255/55ZR20	20	110	W
265/45ZR20	20	104	Y
275/40ZR20	20	106	W
275/45ZR20	20	110	Y
275/50ZR20	20	109	W
245/45ZR21	21	104	W
255/40R21	21	102	V
255/45ZR21	21	105	W
265/40ZR21	21	105	W
265/45ZR21	21	108	W
275/45ZR21	21	110	W
285/40ZR21	21	109	Y
285/45ZR21	21	113	Y
265/40ZR22	22	106	W
285/40ZR22	22	110	Y

R700 [EV]

Comfort | Quietness | Strength | High-mileage | Deep pattern groove

Long-Lasting Durability
Extended Mileage



Wide main grooves enhance drainage performance.




Knurled main groove walls reduce noise.



Tread main groove depth increased by 5%.



Sea-to-land ratio increased by 4%.



Overall wear mileage increased by approximately 10%.

CCC | ECE | HP

DURABLE
EXTENDED MILEAGE



WARRIOR TYRE ®

WARRIOR TYRE ®

SIZE	RIM	LOAD CAPACITY	MAX SPEED
145/70R12	12	69	T
165/65R15	15	81	H
175/60R15	15	81	H
175/55R16	16	80	H
185/55R16	16	87	H
205/55R16	16	91	V
205/60R16	16	92	V
225/60R16	16	98	H
205/50R17	17	93	V
215/50R17	17	91	V
215/55R17	17	98	V
215/50ZR18	18	92	Y
215/55R18	18	99	V
225/45ZR18	18	95	W
225/50ZR18	18	95	W
225/55R18	18	98	V
225/60R18	18	100	H
235/45ZR18	18	98	W
235/50ZR18	18	97	W
235/55R18	18	100	V
235/65R18	18	106	H
245/40ZR18	18	97	W
245/45ZR18	18	100	W
245/50ZR18	18	100	W
245/60R18	18	105	H
255/40ZR18	18	99	W
225/45ZR19	19	96	W
225/55R19	19	99	V
235/40ZR19	19	96	W
235/50R19	19	99	V
235/55R19	19	105	V
245/40ZR19	19	98	W
245/45ZR19	19	102	Y
245/55R19	19	103	V
255/45ZR19	19	104	W
255/55R19	19	111	V
235/55R20	20	102	V
245/45R20	20	103	V
255/40ZR20	20	101	Y
255/45ZR20	20	105	W
255/50ZR20	20	109	W
265/45ZR21	21	108	W

ECO-Max

Economy Comfort Quietness Drainage Eco

Silent Efficiency
Endless Comfort



Energy-saving and eco-friendly, ensuring safe driving.



Offers rapid drainage with outstanding wetland handling performance.



Provides excellent stability and control.



Improved noise reduction for exceptional quietness.

CCC ECE HP

QUIETNESS
ENDLESS COMFORT



SIZE	RIM	LOAD CAPACITY	MAX SPEED
175/70R13	13	82	T
175/75R13	13	85	T
175/65R14	14	82	H
175/70R14	14	84	T
175/75R14	14	86	T
185/60R14	14	82	H
185/65R14	14	86	H
185/70R14	14	88	H
185/60R15	15	84	H
185/65R15	15	88	H
195/55R15	15	85	V
195/60R15	15	88	H
195/65R15	15	91	V
205/65R15	15	94	V
195/55R16	16	91	W
195/60R16	16	89	H
205/55R16	16	91	V
205/60R16	16	92	V
215/60R16	16	95	H

Cosilency

Comfort | Quietness | Handling | Drainage | Eco

Transcendent Realm
Unhindered Journey



Asymmetrical Offset + Variable Pitch Tread Block Design

The asymmetrical offset and variable pitch tread block design utilize sound wave interference effects to reduce resonance noise, enhancing overall comfort.




Chamfered Main and Lateral Grooves

Chamfers are added to the edges of the main and lateral grooves, increasing the tire s contact area during cornering, improving handling performance while ensuring a quiet and safe driving experience.



High-Strength Structural Design

The use of wear-resistant and heat-resistant crown belt strips, combined with ultra-high-strength steel belt layers, significantly enhances tire structural stability and durability, extending its service life.



Next-Generation G.E.P Compound

Features the latest multifunctional solution-polymerized styrene-butadiene rubber and eco-friendly high-efficiency anti-slip resin. This reduces rolling resistance, enhances wet grip performance, and improves fuel efficiency and environmental sustainability. It also ensures shorter braking distances in rainy conditions.

CCC | ECE | UHP

QUIETNESS
UNHINDERED JOURNEY



WARRIOR TYRE ®

SIZE	RIM	LOAD CAPACITY	MAX SPEED
215/50R17	17	95	W
225/45R17	17	94	W
225/50R17	17	98	W
225/55R17	17	101	W
235/45R17	17	97	W
245/45R18	18	100	W
225/45R19	19	96	W
235/55R19	19	105	V
245/55R19	19	103	V
245/55R19	19	100	W

Cosilency SUV

Handling Quietness Comfort Drainage Eco

Durable and Reliable



Wide Main Groove Design

Four wide longitudinal main grooves ensure rapid water drainage, enhancing water evacuation efficiency and improving wet handling performance.



Chamfered Main and Lateral Grooves

Chamfers are added to the edges of the main and lateral grooves, increasing the tire s contact area during cornering, improving handling performance while ensuring a quiet and safe driving experience.




Asymmetrical Offset + Variable Pitch Tread Block Design

The asymmetrical offset and variable pitch tread block design utilize sound wave interference effects to reduce resonance noise, enhancing overall comfort.



High-Strength Structural Design

The use of wear-resistant and heat-resistant crown belt strips, combined with ultra-high-strength steel belt layers, significantly enhances tire structural stability and durability, extending its service life.



Next-Generation G.E.P Compound

Features the latest multifunctional solution-polymerized styrene-butadiene rubber and eco-friendly high-efficiency anti-slip resin. This reduces rolling resistance, enhances wet grip performance, and improves fuel efficiency and environmental sustainability. It also ensures shorter braking distances in rainy conditions.

CCC ECE SUV

DURABLE
RELIABLE



WARRIORTYRE ®

SIZE	RIM	LOAD CAPACITY	MAX SPEED
215/65R17	17	99	V
225/65R17	17	102	V
225/55R18	18	102	W
235/50R18	18	101	V
235/55R18	18	104	V
235/60R18	18	103	H
235/60R18	18	107	V
235/45R19	19	95	V
265/50R19	19	110	W
255/45R20	20	105	W
255/50R20	20	109	W
255/55R20	20	110	W
275/45R21	21	110	W

Comfortune A05

Comfort | Quietness | Drainage | Handling | Strength

Move Forward with Ease
Enjoy the Journey for Miles



Enhanced grip for safer driving.




Improved handling safety.



Ultra-fast drainage with superior wetland handling performance.



Enhanced noise reduction for excellent quietness.



Consistent grip performance throughout the tire's lifecycle

CCC HP

TRAVELLING
ENJOY THE JOURNEY



WARRIOR TYRE ®

SIZE	RIM	LOAD CAPACITY	MAX SPEED
185/65R14	14	86	H
195/60R14	14	86	H
185/60R15	15	84	H
185/65R15	15	88	H
195/60R15	15	88	H
195/65R15	15	91	V
195/60R16	16	89	V
205/55R16	16	91	V
205/60R16	16	92	V
215/55R16	16	93	V
215/60R16	16	95	V
225/55R16	16	95	V

SR1



Peak Performance Serenity in Motion



All-Weather Tread Design

The robust central rib design, combined with a uniformly distributed all-weather tread pattern, provides precise straight-line handling while improving durability and ensuring even wear. This design delivers high mileage performance.



Ultra-Wide Central Grooves

Four deep longitudinal grooves effectively drain water, preventing hydroplaning on wet roads and significantly improving both drainage performance and driving safety.



Ultra-Wide Tread Design

The ultra-wide tread area increases the contact surface, offering a more stable handling experience. Using computer modeling, vibration frequency and tread center alignment details are optimized with a fine multi-pitch distribution, resulting in a quieter and more comfortable ride.




Five-Pitch Tread Design

The five-pitch tread pattern features staggered tread blocks, reducing noise and enhancing comfort, safety, and overall driving experience.



Asymmetrical Shoulder Desig

The wide and sturdy outer shoulder ensures smooth and comfortable driving, offering precise and stable steering control while resisting pressure during cornering. The inner shoulder, with fine groove designs, provides self-cleaning functionality on wet roads, enhancing grip and wet handling performance.



Unique Rubber Compound

Warrior’ s proprietary "Low Heat Generation & Durability" rubber compound enhances tire durability and extends its lifespan.



CCC ECE SUV

SERENITY
PEAK PERFORMANCE

WARRIORTYRE ®

SIZE	RIM	LOAD CAPACITY	MAX SPEED
205/70R15	15	96	S
235/75R15	15	105	S
215/65R16	16	98	H
215/70R16	16	100	T
225/70R16	16	103	T
235/60R16	16	100	H
245/70R16	16	107	S
215/60R17	17	96	H
215/60R17	17	100	V
225/60R17	17	99	H
225/65R17	17	102	H
235/65R17	17	104	T
245/65R17	17	107	S
265/65R17	17	112	H

SR1 HP



Exceptional Performance
Stable Handling



Central Continuous Rib Design

The central continuous rib design ensures straight-line stability during high-speed driving. The toothed edges, combined with stepped longitudinal grooves, enhance handling on wet and slippery roads, delivering outstanding high-stability control performance.




Optimized Tread Arc with Uneven Curvature & Wide Contact Design

The optimized tread arc with uneven curvature and wide contact design ensures even ground pressure distribution, improving steering stability and handling balance.



Open Shoulder Tread Grooves

Open shoulder tread grooves facilitate efficient heat dissipation at high speeds while ensuring excellent drainage and cornering grip. The optimized pitch ratio design effectively disperses and reduces noise, enhancing overall driving comfort.



Unique Rubber Compound

Warrior’ s proprietary "Low Heat Generation & Durability" rubber compound enhances tire durability and extends its lifespan.

CCC ECE SUV

EXCEPTIONAL
STABLE HANDLING




SIZE	RIM	LOAD CAPACITY	MAX SPEED
215/55R18	18	95	H
225/55R18	18	98	V
225/60R18	18	100	H
235/55R18	18	100	V
235/60R18	18	103	W
235/65R18	18	106	H
245/60R18	18	105	H
255/55R18	18	109	V
265/60R18	18	110	H
225/55R19	19	99	V
235/50R19	19	99	V
235/55R19	19	105	V
245/55R19	19	103	V
255/50R19	19	107	W
255/55R19	19	111	V
235/55R20	20	102	V
245/45R20	20	103	W
245/50R20	20	102	V
275/45R20	20	110	V

CR19


Comfort | Handling | Drainage | Strength | High-mileage

Low Heat Endurance
Stronger Safety




Three longitudinal drainage grooves design

The tread adopts a three-groove drainage design to ensure excellent water evacuation performance.




Closed shoulder design

The closed shoulder design enhances lateral rigidity, offering superior traction and braking performance while reducing tire noise.



Zigzag sipes + Variable pitch design

The tread features zigzag sipes to improve wet grip performance.



Exclusive rubber compound

Warrior s exclusive "low heat generation and high durability" rubber compound enhances carcass durability and service life.

CCC | ECE | LT

PROTECTION
WEAR RESISTANT



SIZE	RIM	LOAD CAPACITY	MAX SPEED
165R13C	13	94/92	R
165R14C	14	97/95	T
175R14C	14	99/98	R
175/65R14C	14	90/88	T
175/70R14C	14	95/93	S
175/75R14C	14	99/98	R
185R14C	14	102/100	Q
195R14C	14	106/104	R
185R15C	15	103/102	R
185/65R15LT	15	99/96	N
195R15C	15	106/104	R
195/70R15C	15	104/102	R
205/70R15C	15	106/104	R
215/70R15C	15	109/107	R
225/70R15C	15	112/110	R
225/70R15C	15	116/114	Q
185/75R16C	16	104/102	R
195/75R16C	16	107/105	R
205/65R16C	16	107/105	T
205/75R16C	16	113/111	R
215/65R16C	16	109/107	T
215/70R16C	16	108/106	R
215/75R16C	16	113/111	R
225/65R16C	16	112/110	T
235/65R16C	16	115/113	T

WARRIOR TYRE ®

Cruseross X/T

Crossing mountains and rivers, galloping for thousands of miles

Cruseross X/T

Off-road | Strength | Handling | Drainage | Deep pattern groove

Crossing Mountains And Rivers
Galloping for Thousands of Miles



Special tread rubber formulation
Improves durability on gravel roads.



Self-locking groove design
Improves performance in muddy and snowy conditions.



Mud-clearing and stone-ejection design
Cuts through mud and assists in ejecting stones trapped between tread blocks to prevent tire damage.



Large shoulder block design
Adapts to various road conditions and delivers strong driving force.



High-strength sidewall rubber
Enhances tear and cut resistance, effectively protecting the carcass structure.

CCC | ECE | SUV

CROSS PEAKS
TRAVERSE MILES



WARRIORTYRE®

SIZE	RIM	LOAD CAPACITY	MAX SPEED
LT255/70R16	16	115/112	S
LT245/70R17	17	119/116	S
LT265/65R17	17	120/117	S
LT265/65R18	18	122/119	Q
255/60R19	19	113	T

Cruseross A/T



Superior Off-Road Traction



Serrated shoulder lugs

Providing powerful traction on soft terrain and muddy surfaces.



Sidewall protrusions on shoulder

Extra reinforcement for improved grip on soft terrain and in mud.



Mud-shedding bars

Enhancing groove self-cleaning capability for better traction.

CCC ECE SUV

TRACTION
TOUGH TERRAIN



WARRIORTYRE ®

SIZE	RIM	LOAD CAPACITY	MAX SPEED
225/75R15	15	102	S
LT235/85R16	15	120/116	S
245/70R16	16	111	H
265/70R16	16	116	T
LT225/70R17	16	110/107	S
265/65R17	16	112	T
LT265/65R17	16	120/117	S
265/70R17	17	115	S
275/65R17	17	115	T
265/60R18	17	110	H
LT265/60R18	17	119/116	S
265/65R18	17	114	T
285/60R18	17	116	V

AT-PLUS

Handling | Drainage | Braking | Strength | High-mileage

Off-Road Specialized
Stable and Durable



Continuous Integrated Central Design

The continuous integrated central design enhances tire strength and ensures stability during driving.




Wide Open Shoulder Design

The wide open shoulder design improves the tire´s lateral rigidity, providing superior traction and braking performance.



"Z"-Shaped Four Grooves

The "Z"-shaped four grooves increase the tire´s grip on irregular surfaces while improving self-cleaning performance on muddy and gravel roads.



High-Mileage Eco-Friendly Compound

The tread features a high-mileage, eco-friendly compound that extends the tire s lifespan by 15%.

CCC | ECE | AT

OFF-ROAD
STABLE DURABLE



WARRIOR TYRE ®

SIZE	RIM	LOAD CAPACITY	MAX SPEED
215/75R15	15	100/97	S
235/75R15	15	104/101	S
235/70R16	16	106	T
245/70R16	16	107	T
265/70R16	16	115	T
265/65R17	17	112	T
265/60R18	18	114	T
285/60R18	18	120	T

Cruseross M/T



Superior Off-Road Traction



All-Season & All-Terrain.



Powerful traction, undaunted by snow &mud.



Cut-resistant tread with rugged durability.



Applicable to mining areas and rainforests.

CCC ECE SUV

OFF-ROAD
SOLID DURABLE



SIZE	RIM	LOAD CAPACITY	MAX SPEED
LT245/70R16	16	113/110	T
LT255/70R16	17	108/104	Q
LT225/70R17	17	110/107	Q
LT265/65R17	18	116/113	Q
LT265/60R18	19	114/110	Q

WARRIOR TYRE ®

Frostwarden

ARMOR-LIKE PROTECTION FOR YOUR SAFETY IN EXTREME ICE AND SNOW

Frostwarden

Quietness | Handling | Eco | Strength | Deep pattern groove

Studded Winter Tire



Excellent Grip

The studs provide extra traction on snow and ice, ensuring stable driving.



Enhanced Safety

Helps prevent slips and slides, especially in slippery road conditions.



Suitable For Harsh Winter Conditions

The studs provide extra traction on snow and ice, ensuring stable driving.

CCC ECE Winter

GRIPPOWER

WINTER TIRE



WARRIORTYRE ®

SIZE	RIM	LOAD CAPACITY	MAX SPEED
175/65R14	14	86	T
185/60R14	14	86	T
185/65R14	14	90	T
185/70R14	14	92	T
185/55R15	15	86	T
185/65R15	15	92	T
195/50R15	15	82	T
195/65R15	15	95	T
205/65R15	15	94	T
205/55R16	16	94	T
215/60R16	16	99	T
215/65R16	16	102	T
215/55R17	17	94	T
225/65R17	17	106	T
235/65R17	17	108	T
265/65R17	17	112	T
225/55R18	18	102	T
225/60R18	18	104	T
235/45R18	18	98	T
235/55R18	18	104	T
235/60R18	18	107	T
265/60R18	18	114	T
285/60R18	18	120	T
225/55R19	19	99	T
235/55R19	19	105	T
245/40R19	19	98	T
245/45R19	19	102	T
245/55R19	19	103	T
275/35R19	19	100	T
235/55R20	20	102	T
245/50R20	20	102	T
255/45R20	20	105	T
255/55R20	20	110	T
285/50R20	20	116	T

WR300

Economy | Drainage | Braking | Strength | High-mileage

Powerful Performance
Conquer Winter Roads



Deepened Tread Grooves

Deeper tread groove depth combined with softer tread rubber increases surface area, making it harder to cut through snow columns. The intersecting longitudinal zigzag grooves and transverse grooves effectively grip accumulated snow, providing reliable braking and driving performance on snowy roads.



3D Sipe Structure Design

All sipe patterns feature a 3D structure, effectively dissipating heat and breaking up water films on the road, significantly improving performance on slippery surfaces.



Shoulder Water Retention Holes

Tiny water retention holes on the shoulder, along with small transverse shoulder grooves, effectively enhance snow traction and braking performance.



Widened Tread Surface

A wider tread surface, combined with a softer rubber compound, provides greater grip on icy and snowy roads, ensuring safe and worry–free driving in winter conditions.

CCC | ECE | Winter



TENACITY
WINTER TIRE

WARRIORTYRE ®

WARRIORTYRE ®


SIZE	RIM	LOAD CAPACITY	MAX SPEED
165/70R13	13	79	T
175/65R14	14	82	T
175/70R14	14	84	T
185/60R14	14	82	T
185/65R14	14	86	T
185/55R15	15	86	T
185/60R15	15	84	T
185/65R15	15	88	T
195/55R15	15	85	T
195/60R15	15	88	T
195/65R15	15	91	T
195/70R15	15	99/96	Q
205/65R15	15	94	T
195/55R16	16	91	T
195/60R16	16	89	T
205/55R16	16	94	V
205/60R16	16	92	T
205/60R16	16	96	H
205/65R16	16	95	T
215/55R16	16	93	T
215/55R16	16	97	H
215/60R16	16	95	T
215/60R16	16	99	H
215/65R16	16	98	S
215/65R16	16	98	H
225/55R16	16	95	T
235/70R16	16	106	T
215/50R17	17	91	T
215/50R17	17	95	V
215/55R17	17	94	T
215/60R17	17	96	Q

SIZE	RIM	LOAD CAPACITY	MAX SPEED
215/65R17	17	99	T
225/45R17	17	94	T
225/50R17	17	94	T
225/50R17	17	98	V
225/55R17	17	97	T
225/60R17	17	99	T
225/65R17	17	106	H
235/45R17	17	97	T
235/50R17	17	96	S
235/55R17	17	99	S
235/65R17	17	104	Q
235/65R17	17	108	S
215/55R18	18	95	Q
225/45R18	18	95	S
225/55R18	18	98	T
225/60R18	18	104	V
235/45R18	18	98	V
235/50R18	18	97	S
235/55R18	18	100	Q
235/60R18	18	107	Q
235/65R18	18	106	T
235/65R18	18	110	H
245/45R18	18	100	S
245/60R18	18	105	T
265/60R18	18	110	T
265/60R18	18	114	S
285/60R18	18	116	T
235/55R19	19	101	T
235/55R19	19	105	V
245/55R19	19	103	H

WR500


Handling Drainage Braking Strength High-mileage

Race Through Snowfields Explore Without Limits




Deepened Tread Grooves

Three longitudinal main grooves enable rapid snow evacuation, while additional transverse grooves in the center and outer sections significantly enhance shearing force on snowy roads, improving anti-slip performance and ensuring stable and safe steering.



Asymmetrical Center Tread Design

The asymmetrical center tread design reduces contact noise at the crown, while the outer transverse grooves and sipes enhance steering stability.




Variable Pitch Offset Design

The straight, layered gradient design of the shoulders ensures excellent snow-cutting and snow-evacuation performance on the outer edges.



Unique Shoulder Design

The closed lateral groove design increases lateral rigidity, providing superior traction and braking performance while also reducing tire noise.



Adjusted Sipe Depth

The sipe depth on the tread has been increased by 0.5–1mm compared to the previous generation, with intermittent placement to significantly enhance grip performance.

CCC ECE Winter

SNOWCROSS
WINTER TIRE



WARRIORTYRE ®

WARRIORTYRE ®

SIZE	RIM	LOAD CAPACITY	MAX SPEED
205/55R16	12	91	T
225/60R16	15	98	H
205/50R17	15	93	H
205/55R17	16	95	T
225/65R17	16	106	T
245/70R17	16	110	T
265/65R17	16	112	T
215/50R18	16	92	H
225/40R18	17	92	H
225/50R18	17	99	H
225/60R18	17	104	H
235/45R18	18	98	H
245/40R18	18	97	H
245/50R18	18	104	H
255/40R18	18	99	H
255/60R18	18	112	T
265/65R18	18	114	T
225/45R19	18	96	H
225/55R19	18	99	H
235/40R19	18	96	H
235/45R19	18	95	H
235/50R19	18	99	T
235/60R19	18	107	T
245/40R19	18	98	H
245/45R19	18	98	T
245/50R19	18	101	T
255/45R19	19	100	T
255/55R19	19	111	T
255/60R19	19	113	T
275/40R19	19	101	T
235/45R20	19	100	T
235/50R20	19	104	T
235/55R20	19	102	T
245/45R20	19	103	T
245/50R20	19	102	T
255/45R20	19	105	T
255/50R20	20	109	T
255/55R20	20	110	T
255/45R21	20	105	T
265/40R21	20	105	T
265/45R21	20	104	T
275/45R21	21	110	T

WARRIOR TYRE ®